Question Booklet Code: Register Number

			%

2019

FORENSIC SCIENCE

Time Allowed: 3 Hours] [Maximum Marks: 300

Read the following instructions carefully before you begin to answer the questions.

IMPORTANT INSTRUCTIONS

- 1. The applicant will be supplied with Question Booklet 15 minutes before commencement of the examination.
- 2. This Question Booklet contains 200 questions. Prior to attempting to answer, the candidates are requested to check whether all the questions are there in series and ensure there are no blank pages in the question booklet. In case any defect in the Question Paper is noticed, it shall be reported to the Invigilator within first 10 minutes and get it replaced with a complete Question Booklet. If any defect is noticed in the Question Booklet after the commencement of examination, it will not be replaced.
- 3. Answer all questions. All questions carry equal marks.
- 4. You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- 5. An answer sheet will be supplied to you, separately by the Room Invigilator to mark the answers.
- 6. You will also encode your Question Booklet Code with Blue or Black ink Ball point pen in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to encode the above information, action will be taken as per Commission's notification.
- 7. Each question comprises four responses (A), (B), (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 8. In the Answer Sheet there are four circles (A), (B), (C) and (D) against each question. To answer the questions you are to mark with Blue or Black ink Ball point pen ONLY ONE circle of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong. e.g. If for any item, (B) is the correct answer, you have to mark as follows:

(A) (D) (D)

- 9. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the time of examination. After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 10. Do not make any marking in the question booklet except in the sheet before the last page of the question booklet, which can be used for rough work. This should be strictly adhered.
- 11. Applicants have to write and shade the total number of answer fields left blank on the boxes provided at side 2 of OMR Answer Sheet. An extra time of 5 minutes will be given to specify the number of answer fields left blank.
- 12. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.

SEAL

JSOFS/19 2

1.	The	Science which is not an exact Sc	ience by a	any means
	(A)	Forensic Pathology	(B)	Computer Science
	4	Behavioral Science	(D)	Forensic Science
2.		s the application of Science and stigation and adjudication of crir		ogy which plays a critical role in the r criminal justice system.
	(A)	Molecular Science	(B)	Behavioral Science
	S	Forensic Science	(D)	Computer Science
3.	Equa	ally important role of the Forens	ic Scienti	st are
	(A)	interrogation		
	(B)	counselling		
	(C)	punishing		
		to investigate, collect evidence the court of law	s, testing	, reporting and depose evidence before
4.		of the oldest institution of Gove olished in India is	rnment I	Examiner of Questioned Document was
	(A)	Shimla	3	Kolkatta
	(C)	Hyderabad	(D)	Madras
5.	Fore	nsic examination reports are adr	nissible a	s evidence in courts under Sec.
	(A)	292 of Cr.P.C., 1973		293 of Cr.P.C., 1973
	(C)	294 of Cr.P.C., 1973	(D)	291 of Cr.P.C., 1973
6.	'Trut	th Serum' refers to		
	W	Narcoanalysis	(B)	Polygraph
	(C)	Drug analysis	(D)	Serological examination

7.	Auto	mobile paint of a specific colour is	an exa	mple for the evidence possessing
	48	Class characteristics	(B)	Pattern characteristics
	(C)	Individual characteristics	(D)	Specific characteristics
8.	Whic	ch one of the following is the best e	xample	e of individualization?
	(A)	Blood group	(3)	Fired bullets
	(C)	DNA	(D)	Fabric from a mass
9.	The	popular restatement for Locard's P	rincipl	e of Exchange may be summarized as
	(A)	Everyone leaves when contacted	(B)	Everyone leaves when connected
	(C)	Everyone conduct leaves traces	(3)	Every contact leaves a trace
10.	Whe	n it is appropriate for the first resp	onding	officer to move a piece of evidence?
	(A)	when the evidence is a gun		•
	(3)	when he is charged with the resp evidence	onsibi) -	lity of processing the scene for physical
	(C)	only when the scene is secured		
	(D)	if the crime is serious such as a h	omicid	e
11.	Whic	ch one of the following statements i	s corre	ct, while visiting the scene of crime?
	(A)	Fail to document any changes or		
	(B)	Remove items and package witho		
		Note original conditions at the cri		
	(D)	Photograph items without scales		
	-			

				-			•
	1:4						
	12.	The	excellent containers for collection	n of arsor	ı evidence		
		B	glass jars/metal paint cans	(B)	plastic jars/plasti	c bags	
		(C)	porous containers	(D)	pharmacist's fold	/envelope	
ţ ;·						•	
ત્રં વ	13.		tic bags are generally to be use they	avoided	when preserving	biological	evidences
		(A)	are banned now				
		(B)	accelerate the stiffness				
		(C)	will increase the temperature				
•		(3)	accelerate deterioration and m	old growt	h		
	•				•		
	14.	Whic	ch one of the following statemen	t is incorr	ect to prove the ch	ain of cust	ody?
•		(A)	Evidence must be held in a sec				
		(B)	Typically, evidence is placed in	n a contair	ner with a label or	is tagged	
		4 5	Storage of physical evidence h			•	
	,	(D)	Evidence which was kept in ar	n unsecure	ed area may be ina	idmissible i	in court
•							
	15.	'Phot	ographic Metrique' was the sta	ndardized	technique adopte	d bv	
		(A)	Hans Gross		Paul L. Kirk		
•	•	(C)	Jesse Brown Cook	(25)	• Alphonse Bertillo	o n	
	•			-	•		
	16.	The	best method to pack the objects	on which	finger prints are fe	ound, by	
		(A)	Wrapping in polythene covers	(B)	Wrapping in clotl	n covers	
		(0)-	Wedging in a strong box	(D)	Wedging in a the	rmocol box	
	• .	•		5	·		JSOFS/19 'urn over

18.	Mat	ch the	following	g :			
	(a)	Sunk	en footp	rints	(i)	Lifting	
	(b)	Shoe	prints		(ii)	Casting	
	(c)	Surfa	ice prints	3	(iii)	Skid mark	
	(d)	Tyre	impressi	on	(iv)	Sole pattern	
		(a)	(b)	(c)	(d)		
	(A)	(iii)	(iv)	(ii)	(i)		
	(B)	(iv)	(i)	(iii)	(ii)		
	(C)	(i)	(iii)	(iv)	(ii)		
	7	(ii)	(iv)	(i)	(iii)		
				·			
19.	Fing	ger pri	nts appo	ear befor	re the l	birth in the	
	(A)	Firs	t and Se	cond m	onth of	of pregnancy	
	(B)	Fift!	h and Si	xth mor	nth of p	pregnancy	
	(0)	Thịi	rd and F	ourth m	onth o	of pregnancy	
	(D)	Seco	ond and	Third m	onth o	of pregnancy	
20.	The	identi	fication	using fi	nger p	prints solely depends on	
	(A)	Age				(B) Size	
J	(0)	Ridg	ge patter	n/chara	cterist	tics (D) Palm pattern	
JSOI	FS/19)				6	•

Presentation of footwear/tyre impression evidences should be done by photography

(B) Visible light

(D) U.V. light

17.

using

(C)

Oblique light

I.R. light

21.	The	documents which carry writings w	hose av	athorship is accepted are known as
	(A)	Disputed documents	(B)	Spurious documents
	(C)	Accepted documents	(D)	Admitted documents
			•	
22.	The	microscope which provides instant	compa	rison of inks is
	(A)	Comparison microscope	(B)	Polarized microscope
	(C)	Stereo microscope	(20)	IR image conversion microscope
23,		nere is high stress on the glass coscope at right angles to the ridge		minute stress cracks observed under lled
	(A)	Radial cracks	(B)	Concentric cracks
	10)	Hackle cracks	(D)	Heat cracks
٠.				
24.		marks which can be used to deter ed the glass to break are	mine fr	om which direction the force came that
	(A)	Hackles	(3)	Ribs
	(C)	Splinters	(D)	Crater
25.	The	appearance of the bullet hole on a	pane of	glass can indicate
	(A)	the weight of the projectile	(6)	the velocity of the projectile
	(C)	the type of the projectile	(D)	the size of the projectile
•				
26.	The	sequence of penetration on a glass	pane c	an be positively opened in
	(A)	Sodalime silca glass	(B)	Alumino-silicate glass
	(C)	Borosilicate glass	(3)	Laminated wind shields
27 .				ositive opinion of identity that the two e broken from, the pane or object is
	(1)	The mechanical fit	(B)	The Becke line method
	(C)	Dispersion staining	(D)	Density gradient method

28.	The with	advantages of using HPLC technique over GC is due to its ability to	cope up
	(A)	volatile compounds	
	(B)	low molecular weight compounds	
	W.	non volatile and high molecular weight compounds	
	(D)	non polymeric compounds	
29.	The :	mass spectrometry technique is most commonly encountered in	
	. (A)	Identification of explosive residues	
	(B)	Identification of narcotic substances	
	(C)	Identification of synthetic polymers	
	1	Identification of drugs and its metabolites	
30.		pumps, which are widely used and suitable for both analysis and ing in HPLC are	column-
	43)	Reciprocating-Piston pumps (B) Syringe pumps	
	(C)	Gas pumps (D) Cycle pumps	
31.	Plan	ar chromatography is nothing but	·
01.	. (A)	Supercritical fluid chromatography	
	(B)	Ion chromatography	
	(C)	High-performance liquid chromatography	
	S	Thin layer chromatography	

32.	The	approximate percenta	ge of organic m	atte:	er present in the volume of soil is about
		5 to 10%		(B)	70 to 75%
	(C)	60 to 65%		(D)	35 to 40%
			•		
33.		technique which is no	on-destructive a	and	shows much promise for forensic pain
	(A)	Neutron Activation A	Analysis		
	(B)	Emission Spectrogra	• .		
		Energy Dispersive X		rith :	SEM
	(D)	Flame photometry	•		•
	(/				
			•		
34.		n collecting paint sam number of paint sampl	_		run investigation involving two vehicles l be
	(A)	2		(B)	3
	45)	4		(D)	6
•	: '	· .	•		
35.	The	following microscopic	technique is	арр	propriate for the examination of layer
	struc	cture as well as the cor	nparison and id	lent	tification of particles in a paint.
	(A)	Comparison microsco	ppe	(B)	IR spectroscopy
	(C)	UV spectroscopy		(3)	Polarized light microscopy
	•				
36.		chronic poisoning w stries in which lead ar			ng persons employed in factories and d is called
	(A)	TAMBA		(B)	PARA
	4	PLUMBISM		(D)	JASAT
		·			
37.	Pyrg	dex is an example of			
	(1)	low explosive	1	(B)	high explosive
	(C)	military explosive		(D)	booster
		•			

38.	The	explosive, which are rapidly gaining	g in po	opularity as substitute for dynamite are
	(A)	Boosters	1	Slurries
	(C)	Blasting caps	(D)	Plasticizers
39.		area or point within the scene that b scene investigation is referred to a		he greatest concentration of damage in
	(A)	epicenter	(B)	site of explosion
	(C)	scene of explosion	(D)	heart of explosion
			-	
4 0.		dwriting of each person is of having		
	(A)	Classic characteristics		Unique characteristics
	(C)	Multiple characteristics	(D)	Non-characteristics
41.	A wr	iting of another person's signature i	n the	forger's own style of writing is called
	S	Simple forgery	(B)	Simulated forgery
	(C)	Traced forgery	(D)	Disguised forgery
•				
4 2.	The :	more predominant common style of t	typew	riting in Europe is
	(A)	Pica	(B)	Elite
	(C)	Proportional spacing		Metric
			•	
4 3.	The	light used to produce a traced forger	vie	
	(A)	Visible light	(B)	Oblique light
		Transmitted light	` '	•
		rransmitted fight	(D)	Polarized light

44.	The	human voice variations in the sa	me perso	on are called
	4	intra speaker variations	(B)	inter speaker variations
	(C)	single speaker variations	(D)	multi-speaker variations
45.	'Rat	e of Utterance' in human voice va	riations	is not depend upon
	(A)	Mode of speech	(B)	Mood of speech
	(C)	Intoxication		Complexion
46.	'Intr	a speaker variability' of the hum	an voice	should be
	(A)	Maximal	(2)	Minimal
	(C)	Equivocal	(D)	Equal
47.	oper			is converted into electric energy, which he form of a graph on the paper on the
	(A)	Echo print	(2)	Voice print
	(C)	Lip print	(D)	Vocal cord print
	•			
48.	The	first 'Polygraph' instrument was		
		Larson and keeler	(B)	Lombrosso
	(C)	Aladin	(D)	Henry Galton
49.	Whi	ch one of the following is not rela	ted with	the instrument 'Lie-Detector'
	(A)	Physiological changes	(B)	Psychological changes
	(C)	Harmonic changes		Narcotics changes
•	(-)		11	IGOEG/10

50.	The	best anti-dote for wood spi	rit poisoning is	3	•
	(1)	Ethyl alcohol	· (B)	Methyl alcohol	
	(C)	Propyl alcohol	(D)	Butyl alcohol	
					•
51.	Evid	ence of gangrene of toes or	fingers may be	e seen in the poisoning o	f
	(A)	Marking nuts	(B)	Madar	
	(C).	Capsicum		Ergot	
					•
			•	•	
52.	The	preservation of following b	ody fluid must	be necessary in case of	'Arrow' Poison
	for c	hemical examination	* *		·
	(A)	Puscels	(B)	Semen	:
	(0)	Urine	(D)	Perspiration.	•
	٠,				
53.	The	highly poisonous active prin	nciple in the se	eds of vellow oleander	
	(A)	Nerin	(B)	Oleandrin	
	(C)	Lobeline	The state of the s	Thevetin	
		•			
٠					
54.	The	very delicate test for the de	tection of meta	allic poisons is	
+	(A)	Marsh's Test	(B)	Gutzeit Test	
	W.	Reinsch's Test	(D)	Marquis Test	
	,	÷	, ,	-	
		·			
55.	The	average weight of 'ABRUS	' seed is about	: which are used by Ind	lian goldsmith
00.		eighing silver and gold		, water and wood by all	Bornerium
	(1)	105 mg	(B)	1000 g	•
	(C)	10 kg	(D)	1005 g	
				· ·	
56.	B.'B0	OTULISM' is the term refer	rred to		•. •
	(A)	Chemical Poisoning	(B)	Metal Poisoning	
-	(C)	Snake Poisoning	(26)	Food Poisoning	

	sciei (A)	nce to be described as A legal science	(B)	A crime science
	(23)	A mixed science	(D)	A police science
	(A mixed science	. (Д)	A police science
58.	The	'Chain of Custody' is nothing but	maintai	ning the evidence from
	(A)	The documentation of evidence	(B)	Collection of evidence
	40	Crime Scene to court	(D)	Examination of evidence
59.	mh.	Parancia adaptaland is athornia	Sallad a	
- -	(A)	'Forensic odontology' is otherwise Forensic entomology		Forensic dentistry
•	(A) (C)	Forensic anthropology	(D)	Forensic psychiatry
	(0)	rorensic antimopology	(D)	rorensic psychiatry
60.		marks of blood flowing in the wibility of	vrong di	rection or against gravity suggest the
	(A)	The area of origin of a pattern	(B)	Blood that travels through the air
	(C)	Distribution of blood stains	5	The position of the body was moved
61.		test which is easily used for sea has been cleaned up is	rching la	arge areas for blood, particularly if the
	(A)	Kastle-Mager test	(B)	Benzidine test
	4	Luminol test	(D)	Orthotolidine test
00	mu .		. 11	
62.		best method to be adopted in the		
	(A)	Make it liquid and preservative		added
	(B)	Placing of wet blood in a plastic		on he placed into a hyanin anvalore
		Dry the wet stain under sunligh	-	an be placed into a brown envelope
	(D)	Dry the wet stam under sumigi	it and pi	ace mo an ugut contamer.
			. •	
63.	Bloo	d stains over twenty years old we	re also r	eported positive with the following test
	(A)	Takayama test	(35)	Teichmann test
	(C) .	Wagenaar test	(D)	Fulthorpe test
			19	ICOPC/10
•			13	

64.	The	The colour of red hair primarily depends on the pigment							
	(A)	Melanin	(2)	Phaeomelanin					
	(C)	Cortical fusi	(D)	Tyrosinase					
65.	The	double helix structure of DNA was p	reser	ated by					
	(A)	Franklin and Wilkins	(25)	Watson and Crick					
	(C)	Kirk and Curtis	(D)	Darwin and Mendel					
66.		nsic analysis of mtDNA has been us	ed to	link many of the kidnapped children to					
	V	Biological mother	(B)	Biological father					
	(C)	Biological Uncle	(D)	Biological relatives					
67.		·		dem repeats consisting of units having) times at a particular site are called					
	(A)	DNA genome	(B)	Alphoid satellites					
	(C)	STRs		Mini satellites					
68.		ch of the following specialized pers mpting to identify skeletal remains?	onnel	would be the most appropriate when					
	(A)	Forensic archaeologist	(B)	Criminalist					
		Forensic Anthropologist	(D)	Coroner					
69.	DNA	A profile fails to distinguish between							
	1	Identical twins	(B)	Non-identical twins					
•	(C)	Father and Son	(D)	Mother and daughter					

70.	The	Ideal proportions of fuel . oxygen an	d fina	al products are call	ed	
	(A)	Combustion				
	(B)	Volatization			•	
	(C)	Energy of molecular motion				
	(10)	Stoichiometry				
-						
71.		most commonly sought physical evid	lence	in argon investiga	tion is	
· :	(A)	The presence of Refrigerator				
	(B)	The presence of gas stove		<i>.</i>		
	(C)	The presence of Rodants	•		•	
		The presence of ignitable fluids				
72.	The	term 'Spontaneous chemical causati	on' m	ost commonly enco	untered in	
	4	Partially cured hay	(B)	Wet hay		
	(C)	well cured hay	(D)	Wet charcoal	•	
		•				•
73.		lowest temperature at which a li inuous flame is called Flash point	quid	produces a vapor	that can	sustain a
		Fire point		·	•	•
	(C)	Ignition temperature				
	(D)	Spontaneous ignition temperature				
	\ - /					
74 .		ammable liquid, usually one of a low ainer with an ignition system is	fl asl	h point such as gas	soline, in a	breakable
	(A)	Improvised mixture	0	Molotov cocktail		
	(C)	Incendiary mixture	(D)	Fire cocktail		
			-			
75.	Most	t frequent pattern of finger prints ar	e 🗸	•	٠.	
	(A)	Arch	(P)	Loop	•	-
	(C)	Whorls	(D)	Composite		

76.	In th	e casting of tool marks, very s	atisfactory	results can be obtained by us	ing
	(A)	Plasticine	(20)	Dental mass	
	(C)	Woods metal	(D)	Plaster of Paris	
77.	Thes	e type of ballistics arc of inter	est to the fo	rensic pathologist.	
	(A)	Exterior ballistics	(B)	Interior ballistics	
	(0)	Terminal ballistics	(D)	Transition ballistics	
				•	
	G 11				
78.		per is now more commonly use	·		
	(A) (C)	Indicate the bore diameter Indicate the number of lands	(B) • • (D ≠	Indicate the number of groodesignate a cartridge	ves
	(0)	indicate the number of lands		designate a cartridge	•
		•			
	with (A) (C)	in a 30 inch inside the circle, i 65 to 75 % 25 to 35 %	n an impro	ved cylinder barrel is 45 to 65 % 35 to 45 %	
,				•	
80.	Whil	e conducting bullet examinati	on, the bull	et should be marked on	
	W	the base	(B)	the rifling impression	
	(C)	the point	(D)	the areas of ricochet	
81.	Lead	. – alloy bullets are more effec	tive than pr	re lead bullets because of	
	(A)	its softness			•
	(B)	its range			
	(C)	to increase the leading of rifl	ed barrels		
	D	Its hardness and reduce the	lead fouling	effect	
82.		ch of the following marks fou e of the fire arm?	nd on cartı	idge cases can be used to id	lentify the
	(A)	Lands	(B)	Grooves	•
	(0)	Extractor	(D)	Striations	
		•			

83.	The	wad used in a shotgun cartridge to	seal t	he barrel to prevent escape of gases an
	to er	nsure proper pressure development	is	•
	(A)	Cushion wad	(B)	Over shot wad
	(C)	Over powder wad	(D)	Under shot wad
•				
84.	The	manufacturer of the weapon may b	oe dete	rmined from the following mark on the
	fire a	arm		
	(A)	Etching marks	(B)	Firing pin marks
	(C)	Ejector marks	9	Proof marks
٠.			· ·	
85.	The r	non–flaming fire in a pile of saw du	ıst is a	good illustration of
	(A)	Flaming fire	(B)	Diffusion flames
	(C)	Smoldering fire	(D)	Laminar flames
86.	The	finger print of petroleum products o	can be	detected using the technique
	(A)	AAS GC-MS	(B)	Electrophoresis
	C	GC-MS	(D)	TLC

87.	Tror	niometer is one of the device used in	the fo	ollowing instrument
	(A)	Atomic absorption spectrometer	(B)	Emission spectrograph
	100	X-ray diffractometer	(D)	Mass spectrometer
88.	In t	he forensic examination of paints	, the	pigment titanium dioxide in different
	form	s can be easily distinguished by the	techr	nique
	(A)	Electron microprobe analysis	(B)	Energy Dispersive X-ray analysis
	4	X-ray Diffraction	(D)	Emission spectrography
80	. The	impingement of light of a specific r		ath auto mussismals assessed
89.		ite atoms has been involved in the t		ingth onto previously generated ground
	(A)	Emission spectrography		Atomic absorption spectrometry
	(C)	Neutron activation analysis	(D)	X-Ray Diffraction
		•		
			-	· .
90.	The	most widely used and accepted radi	ation :	source in AAS is
	(A)	Electrodeless discharge lamp		
	(B)	Radio frequency electrodeless disc	harge	lamp
,	(C)	Low-pressure discharge lamp		
	(A)	Hollow cathode lamp		

91.	"Soa	ap chromatography" is the technique	whic	h has been extensively used in
,	4	HPLC	(B)	GC
	(C)	TLC	(D)	GC-MS
			•	
92.	In M	MS, Ionization by electron impact	can o	nly be accomplished when the sample
· . ·	mole	ecule exist in a		
	(A)	inert state	(20)	gaseous state
	(C)	liquid state	(D)	solid state
93.	Acce	lerants recovered from fire debi	is ca	n be characterized through pattern
	recog	gnition by GC with		
•.	(A)	Electron capture detector	(B)	Flame photometric detector
	(C)	Electrolytic conductivity detector	(0)	Flame ionization detector
	•			
94.	'Plec	ochrosim' is determined by examinin	g the	fiber on a
	(A)	Comparison microscope	(B)	Stereoscope microscope
	(c)	Polarized light microscope	(D)	binocular microscope

95.		ensic Science is, introduced for the mical Examiner's laboratory.	e first	time in	India	during	Britis	h era	as
		1849	(B)	1839				· ·	
	(C)	1853	(D)	1881					
96.	The	Forensic Sciences form a unique par	rtners	hip with	·				
	(A)	law enforcement	(B)	law					
	(C)	medicine		all the ab	ove				
97.	The	samples of drunken driving cases ar	e ana	lyzed in					
	4	Toxicology unit	(B)	Narcotic	unit				
	(C)	Biology unit	(D)	Psychiatr	y unit	;			
					-				
98.	The	Forensic practitioner's sole obligatio	n is to	serve the	aims	of			
	(A)	Their agency	(6)	Justice					
	(C)	The legal system	(D)	The Prose	ecutor				
99.		ch organization has a professional ace laboratory managers?	code (of ethics t	hat is	applica	able to	foren	sic
	(A)	United Nation, Organisation							
	(B)	Human Rights Commission				÷			
	(C)	World Health Organisation	· .		•			•	
	9	American Society of Crime Labora	tory I	Directors					
100.	Crim	ninalistics is word imported into Eng	glish f	rom		· .			
	(A)	China	(B)	Japan					
		Germany	(D)	London					

101.	The	law enacted by the Government of I	ndia :	to deal with the cyber crimes is				
•	(A)	Indian Penal Code	(B)	Indian Evidence Act				
•		Information Technology Act 2000	(D)	Criminal Procedure Code				
,								
102.	The	adopt in the field of 'Ballistics'						
	(A)	Mathiew Orifila	(B)	Alphone Bertillow				
	40)	Calvin Goddard	(D)	Hans Gross				
103.		ething legally submitted to a compe ruth of any alleged matter under in		trier of fact as a means of ascertaining gation is called as				
	(A)	object	(B)	material				
	(C)	matter	(D)	evidence				
104.	Whic	ch one of the following statements is	incor	rect?				
•	1/2)	Physical evidence cannot exonerate	e the	innocent				
	(B)	Physical evidence can establish t	he id	lentity of persons associated with the				
	(C)	Physical evidence may be more reliable than eye witnesses to crimes						
	(D)	Physical evidence can corroborate	the v	rictim's testimony				
105.	The 1	type of evidence with three dimension	onal e	xistence is called				
	(A)	testimonial evidence	(B)	definite evidence				
	()	physical evidence	(D)	indefinite evidence				
106.	•	subsequent information derived missible in court, which has been pr		illegally seized physical evidence is d in a legal doctrine called				
	(A)	Corpus delicti	(B)	Modus operandi				
•	(5)	Fruit of the poison tree	(D)	Mens ria				

107.	The following characteristics of a tool mark may not make a definite identification of the tool possible.						
	(1)	General form and size	(B)	Injuries			
	(C)	Irregularities	(D)	Peculiarities			
			-				
108.	Whi	ch one of the following is not a tool	mark?				
		Casting, extruding and grinding	marks				
	(B)	Indentation marks	-				
	(C)	Striation marks	-				
	(D)	Boring marks					
		•					
109.		se two things will ensure the ability ographs of evidence.	to pro	oduce good quality enlargements or 1:1			
	46	A ruler and parallel film plane	(B)	A parallel film plane and macrolens			
	(C)	A ruler and macrolens	(D)	A ruler and a compass			
			-				
110.		crime scene photography, a digital ith a resolution in the range	came	ra which yields excellent results should			
	(A)	16 megapixel	(36)	14 megapixel			
	(C)	11 megapixel	(D)	8 megapixel			
				•			
		•					
111.	To lo	ocate gunpowder residue on a colou	red fal	oril, the fabric is photographed with			
	(A)	X-rays	(B)	Visible light			
	(C)	UV-rays	9	IR-rays			
	•		•				

112.	Casting of foot wear impressions is preferably done with								
	(4)	Dental Stone	(B)	Silicone rubber					
	(C)	Paraffin	(D)	Plaster of Paris					
113.	A fo	ot impression in wet earth, when it d	lries,	can become appreciably					
	(A)	Same size	(6)	Smaller					
	(C)	Longer	(D)	Could not be determined					
114.	The by	The dust foot prints formed when the suspect walked on the tiles are best recorded by							
	(A)	Lifting by casting with plaster of p	aris						
	(B)	Lifting by wet paper							
	(C)	Lifting by coating with varnish		•					
		Lifting by static electricity		•					
115.	Choo	ose the incorrect statement from the	follov	ving					
	L	Gait pattern studies are almost perfect in most of the situations							
	(B)	Gait pattern are unique for each in		:					
,	(C) Gait pattern are the walking picture of an individual								
•	(D)			t, weight, body structure, deformities,					
110	m1			· · · · · · · · · · · · · · · · · · ·					
116.		The most important individual characteristic in a footwear is (A) Craftmanship Wear and Tear							
	(A) (C)	Craftmanship Sole pattern	(D)	Size number					
	(0)	Sole pattern	(D)	Size number					
117.	The	field of forensic podiatry deals with							
	41)	Foot impressions	(B)	Finger prints					
	(C)	Tyre impressions	(D)	Lip prints					
118.	The	footwear impression in a soft materi	al is :	normally described as a					
•	(A)	two dimensional	(B)	nulti dimensional					
	(C)	mono dimensional	30	three dimensional					

119.	The friction ridges when pressed on pliable surfaces like butter leave marks, that are called						
	(A)	latent prints	(B)	dust prints			
	101	plastic prints	(D)	ridge tracing			
120.	Mod	ern ballpoint inks are referred to as					
	(A)	oil based inks	<i>S</i>	glycol based inks			
	(C)	resin based inks	(D)	carbon based inks			
121.	'Emb	pellishments' in handwritings are					
	(A)	Natural variations	The state of the s	Personal peculiarities			
	(C)	Fundamental variations	(D)	Artificial variations			
122.	The as	documents which are created for eve	aluati	on of the disputed documents are called			
	(A)	known documents	(B)	non-standard specimens			
	(C)	non-request exemplars		request exemplars			
123.		physical characteristic of paper wh nanufacturer of a paper is	ich pı	rovide sufficient information to identify			
	(A)	size	(B)	weight			
		watermark	(D)	colour			
124.	The	most useful laboratory technique for	r com	parison of writing inks is			
	(A)	GLC	(B)	HPLC			
	Ö	TLC	(D)	GCMS			
125.			_	estioned document examination in the			
		ts gradually became reality only afte					
	(A)	Dreyfus	(D)	Albert S. Osborn			
	(C)	F & E Herman	(D)	Dr. Antonio A. Cantu			

126.	The	VOD range of ANFO is		,
	(A)	0 - 3300 ft/s	(B)	3300 – 6000 ft/s
	(6)	8000 – 15,600 ft/s	(D)	6600 – 12,400 ft/s
127.		ement of diacritics' is one of the cha		
	(A)	Type writings	(B)	Erasures
٠	(C)	Obliterations	(Handwritings
128.		nination of the channeling effect o	on the	e paper caused by pen pressure is the
	4.5	Alteration by addition	(B)	Alteration by deletion
	(C)	Deciphering of indented writings	(D)	Deciphering of charred documents
129.		techniques which are dynamic proc ple mixture across or through a stat Spectrophotometry		wherein a mobile phase transports the y-phase medium Mass spectrometry
	(C)	X-ray diffraction	W.	Chromatography
130.		ell as the sensitivity required for ve	-	ibility with the any state of the sample nute micro quantity of samples is
	(1)	Gas chromatography	(B)	Thin layer chromatography
	(C)	Capillary electrophoresis	(D)	Liquid chromatography
٠.				•
131.	'	ch one of the following gas, the mo	ost co	mmonly used as mobile phase in GRS
		mawgraphy is		
	(A)	Phosphine	S	Helium

132.	spect			ts the interferogram to the final I main spectrum showing intensity versu	
	(A)	dispersive IR spectrometer		FTIR spectrometer	
	(C)	UV spectrophotometer	(D)	UV-vis spectrophotometer	
	•				
133.	The	infrared spectrum of a poly	atomic	molecule consists primarily of th	ıe
	fund	amentals of		•	
	46	infrared active normal modes	(B)	infrared inactive normal modes	
	(C)	infrared normal modes	(D)	non-vibrational normal modes	
134.	Alco	hol is more efficiently absorbed di	rectly th	hrough	
	(A)	Blood	(B)	Urine	
	(C)	Stomach		Small intestine	
				•	
135.	90%	of alcohol is eliminated from the	body by	the mechanism	
	(1)	Metabolism	(B)	Sweating	
	(C)	Digestion	(D)	Vomiting	
136.	The	stools are resembling the "rice wa	ter stoo	ols of cholera" in the poisoning of	
	1	Arsenic	(B)	Bismuth	
	(C)	Copper	(D)	Antimony	

137.	"Munroe effect" is caused by an explosive charge					
	(A) ·	linear charge	(8)	conical charge	. •	
	(C)	platter charge	(D)	claymore charge		
138.	deto	nator than is u	ollowing military explo sually available in the			
		city due to its ins				
•	(A)	M1	(B)	PETN		
.*	(C)	TNT	. •	C-4		
139.	'Bool	by traps' are othe	erwise called as			
	(A)	Active devices	95)	Passive devices		
	(C)	Positive safety	(D)	Negative safety .	•	
140.		ch of the followin k powder?	ng items can be used to:	ignite heat-sensitive	; explosives such as	
	(A)	RDX	(B)	TNT		
	(C)	C-3		Flashbulbs	•	
141.		most widely us ination of explos	sed of detector in the	gas chromatograph	while conducting	
	4	VTA	(B)	ECD		
	(C)	EI	(D)	FID	. •	
142.	The	percentage of RD	X in the 'military dynan	nite' is		
	(A)	77%	(B)	91%		
	0	75%	(D)	94%		

143.	The abrasion type erasures, which are visible under					
	(A)	Colour test	(B)	IR light		
	40	Microscopic test	(D)	X-ray		
		•				
144.		indentations or depression le using	s present in	the paper will be amplified and made		
	(A)	UV lighting	(B)	IR lighting		
	4	Side lighting	(D)	Fluorescence lighting		
	·					
145.				n detecting indented impressions in		
	docu	ments, when all other techn	iques failed, i	is		
	(A)	TLC	(B)	IR image conversion		
	(C)	HPLC		ESDA		
	.•			·		
146.		•	men signatuı	res required for the comparison of one		
	dispu	ited signature .				
	(1)	10	(B)	50		
5.	(C)	200	(D)	150		
147.	The f	irst use of soil evidence was	s deve l oped by	7		
	(A)	Sir Edmund Locard	(B)	Conan Doyle		
	(C)	Methren		Dr. George Popp		
148.	Fract	tionating soil samples by th	e pipette met	bod is based on the principle of		
	(A)	Franklin's law	- (4)	Stoke's law		
	(C)	J.I. Thornton's law	(D)	Graves' law		

149.	The cardiovascular changes of the deceptor are measured by							
	(A)	pneumograph	(B)	Plethysmograph				
	4	Sphymograph	(D)	Spectrograph				
·150.	The s	theory involved in the Lie Detector	ie					
100.	(A)	Hypnosis	(B)	Brain Mapping				
	(A)	Psycho-Physiological Detection	(D)	Truth serum				
		1 sycho-1 hysiological Detection	·(D)	11 den sei am				
151.	'Fina	pres' are used in polygraph examin	ations	s for measuring				
		Blood pressure changes	(B)	Respiratory changes				
	(C)	Somatic changes	(D)	Neurological changes				
			•					
152.	Opia	te alkaloids are derived from the se	eeds of	Ī				
	(A)	Lophophora cactus	(B)	Psilocybe mexicana				
	(C)	Cannabis Sativa	1	Papaver Somniferum				
153.	Hero	in from Mexico is usually in		•				
	(A)	White	(25)	Brown				
	(C)	Half-White	(D)	Faded-White				
	,							
154.	The r	mode of intake 'mainliners' is refers	s.to	•				
	(A)	Oral intake	(B)	inhalation mode				
	(C)	smoking mode		injection mode				

155.		gas which is absorbed through lung d corpuscles to form is stable compo	•	readily combines with the haemoglobin
	(A)	Carbondioxide	A THU	Carbon monoxide
	(C)	Carbondisulphide	(D)	Carbolic acid
156.	The	category of poisons which inhibits i	ts acti	on on acetyl choline are
	(1)	Organophosphorus compounds	(B)	Yellow phosphorus compounds
	(C)	Carbolic acid	(D)	Phosphoratted Hydrogen
157.	is pre	Majority of states in the united sta- esumed to be under the influence of		t a blood alcohol level at which a person ol in "drunk driving" cases
	(A)	0.0015%	(B)	0.0003%
		0.08%	(D)	0.0025%
158.	The	alcoholic beverages are legally prod	uced b	by the process of
	(A)	Distillation	(B)	Fractional Distillation
	0	Fermentation	(D)	Fragmentation
159.	The j	pointed or tail end of a blood stain i The number of impacts during an The story of what took place at a c The sequence of events The direction of travel and the an	incide crime	ent scene
160.	not v	raluable before conducting a crime s	scene s	y inspection of which of the following is search.
	(A)	The body to suggest the mode of d		•
	(B)	The CCTV footage of a nearby tra	nic sig	gnai
	(C)	The Weapon		·
	(The entry and exit paths		
161.	The	word "Forensic" is derived from the	Latin	Word
	(A)	Public	(B)	Court
	(C)	Criminalistics	5	Forum

162.		test which can often give positive ner surfaces is	e resul	ts with blood removed from wood and
	. (1)	Takayama Test	· (B)	Hematin Test
	(C)	Acetone Chlor-Hemin Test	(D)	Higaki and philp Test
		•		
163.		 H lectin, which reacts strongly wi ared by extracting the specific seed 		H substance present in O blood, can be
	11	Ulex europaeus	. (B)	Dolichos biflorus
	(C) .	Ficus bengalensis	(D)	Nerium Odorum
164.	Pars	ons of blood type AB have		
	(A)	Anti–A agglutinin		•
•	(B)	Anti-B agglutinin		
		Neither anti-A nor anti-B agglut	inin	
	(D)	Both anti-A and anti-B aggluting		
165.	The	enzyme, which is found in large qu	antiti	es in semen is
	(A)	Peroxidase	(B)	Amylase
·		Acid phosphatase	(D)	Glynase
166.	The	protein which is specific to semen,	has no	t been found in any other body fluids or
	orga	ns is		
	(A)	Acid phosphatase	(B)	Peptidase
	(C)	Amylase	((1)	P30
167.	The	medullary index in animals is more	than.	
	(A) [.]	0.25	(45)	0.5
	(C)	0.2	(D)	0.1
168.	'Нот	np' is an example of		
100.	Hen	Natural fibre	(B)	Synthetic fibre
	(C)	Animal fibre	(D)	Man made fibre
	(0)	/ HIMM HOLD	(17)	war war wit

169.	which one of the following are useless for DNA profiling?					
100.	(A)	Highly putrefied bodies	•			
		Erythrocytes	•			
	(C)	Molar tooth				
	(D)	Hair samples				
170.	The	human origin of blood is est	ablished from	L		
	(A)	Catalytic test				
	(B)	Crystal test				
	(C)	Spectrophotometric test		•		
		Precipitin test				
171.	The	qualitative detection of sem	inal fluid chol	line is basis for the		
	(A)	Barberio test	(E)	Florence test		
	(C)	Acid phosphatase test	(D)	Elisa technique		
172.	Bloo	d contains water about				
	41)	80%	(B)	60%		
	(C)	95%	(D)	75%		
173.	The	Grouping of Blood stains AE	30 system wa	s first demonstrated by		
	(A)	Lattes				
	(B)	Sensabaugh				
	45	Karl Landsteiner		-		
	(D)	Siracuca				
174.	The	highly satisfactory method f	for ABO group	oing in dried blood stains is		
	(A)	Thread method		•		
	(B)	Mixed agglutination method	od			
	40)	Absorption – Elution meth	od			
	(D)	Absorption-Inhibition met	thod			
				•		

175.	The first person to describe the classification of finger prints was					
	(A)	Dr. Jan purkyne	VB)	Dr. Henry Faulds		
	(C)	William Herschel	(D)	Galton		
176.	Fine	ger prints from excessively putr	ified bodie	s are obtained through		
	(A)	X–rays	(B)	Ninhydrin		
	(C)	Lasers	(D)	Cyanide fuming		
177.	The of	carpet from the car involved in	hit and ru	in case is the best example for evidenc		
	(A)	Individual source	(3)	Common source		
	(C)	Special source	(D)	Patterned source		
` 178.	Lare	ent finger prints should be deve	loped by ti	ne		
	(A)	the investigator himself	(B)	scientific expert		
	(C)	Police photographer	01	Finger print expert		
179.	The	technique used for the develops	nent of fin	ger prints on raw wood		
	(A)	Iodine	(3)	Ninhydrin		
	(C)	Cyanide fuming	(D)	Fluorescence examination		
180.	Sma	ll and sometimes microscopical	ly unique	markings of a tool proved to be		
	(A)	Neglected	(5)	Very valuable		
	(C)	Just corrabrrative	(D)	useless		
181.	Firi	ng pin of fire arms may leave th	e following	g tool mark on the cartridge.		
	(A)	Scrape marks	(B)	Saw marks		
	(C)	Striation marks		Indentation marks		
182.	Posi	tive identification of a tool is on	ly possible	e with		
•	(A)	the casting of tool marks				
	(B)	the photograph of the tool ma				
	(()		mark wit	h one made directly by the tool		
	(D)	the size of the tool mark				

183.	In a contact shot to a victim, there is often, blood found within the barrel of the handgun. This is called				
	(1)	Back spatter	(B)	Forward spatter	
	(C)	Drop pattern	(D)	Splash pattern	
184.		range of firing can be positively de			
	(A)	Barrel washing	(B)	Sodium rhodizonate test	
	(C)	Size of the firing pin		Powder pattern deposit	
185.	Test	on the shooter's hands can be made	de posit	ively	
	U	to identify the shooter	(B)	to identify the weapon	
	(C)	to identify the range of firing	(D)	to identify the angle of shoot	
•					
186.	The	marks caused by a revolver bullet	strikin	g the edge of the forcing cone are	
	(A)	Skid marks	(20)	Shaving marks	
	(C)	Sliding marks	(D)	Cannelures	
187.	The	particles of metal deposited aroun	d the b	ıllet hole/wound are referred to as	
	(A)	Tattooing	(B)	Smudging	
	C	Fouling	(D)	Stippling	
188.	_	in shot wound resulting from a di e range of fire	stant sl	not will provide basis for an estimation	
	(A)	Certainly	(B)	to certain extent	
	(0)	no way	(D)	probably	

189.	The	shiny blisters of char is known as		•
		Alligatoring	(B)	Checkering
	(C)	Baking	(D)	Flashovering
,			-	
			-	
190.	The	chipping or crumbling of a concrete	, plast	er or masonry surface is called
	(A)	deflagrating	(B)	floor-wax-stripping
	(C)	localized burning		spalling
				· · · · · · · · · · · · · · · · · · ·
191.	'Ghos	st marks' are nothing but		
1	(A)	Sign of flammable liquid on floors	cover	ed with vinyl or asphalt tiles
	(B)	Fire nearest ventilation source		
	(C)	Calcination of Gypsum board		
,	(D)	Heat on the steel wire spring		
		·		
192.	The	individualizing feature of spectru	n of th	nis technique, has been compared with
	that	of a finger prints is		
	(A)	Atomic absorption spectra	(B)	Atomic emission spectra
•		IR spectrum	-(D)	Neutron Activation Analysis

193.	The	The technique which can be used to obtain "a finger print" of the fiber based on its					
•	chen	nical composition is					
	(A)	GC	The state of the s	Pyrolysis gas chromatography			
	(C)	GC - MS	(D)	HPLC			
	,						
194.	This	is a detector of choice for analysis	s of orga	nochlorinated pesticides in GC			
	(A)	Thermal conductivity detector	(B)	Flame Ionization detector			
	4 5	Electron capture detector	(D)	Flame photometric detector			
		· · .					
195.				res some energetic process for coverting			
	a significant number of molecules of the analyte to a charged species so that the mass-to-charge ratio of the charged form of the analyte may be determined						
	(A)	Chemical ionization	(B)	Electron ionization			
		Mass spectrometry	(D)	Negative ion mass spectrometry			
		•					
	773						
196.		determination of the age of a set e impressed article stays structure	_	rprint is almost preservation is possible			
		· ·	any me				
	(A)	possible	(5)	impossible			
	(C)	to possible a certain extent	(D)	possible in case of twins			

197.		normal IR source is turned off a pening in the technique	s the s	sample acts as the radiation source is
	(A)	IR microspectroscopy	(B)	Fourier transform IR spectroscopy
	401	Emission spectroscopy	(D)	Raman spectroscopy
				•
198.	The	most fruitful method for the elemen	ntal an	alysis of bullet lead is
	(A)	Internal silencing method		
	(B)	External silencing method		
	(C)	Multi element quantitative analy	sis	
	7	Neutron activation analysis		
199.	-	tification and quantitation of volu lex mixtures are possibly determin		nd semivolatile organic compounds in
	(A)	Gas chromatography		
	(B)	Thin layer chromatography	-	
	()	Gas chromatography with mass s	pectro	metry
	(D)	IR spectrometry		
200.		th one of the following instrume ysis of glass samples?	ental r	nethod is not suitable for elemental
,	(A)	NAA	(B)	AAS
	(C)	MS		TLC

JSOFS/19 38



JSOFS/19

40